

March 22, 2017

Judith Snell
Monticello Christian Academy
225 E Livingston St.
Monticello, IL 61856
TEL: (217) 762-3544
FAX:



RE: Drinking Water Testing

WorkOrder: 17030620

Dear Judith Snell:

TEKLAB, INC received 8 samples on 3/9/2017 10:15:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Marvin L. Darling
Project Manager
(618)344-1004 ex 41
mdarling@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Monticello Christian Academy

Work Order: 17030620

Client Project: Drinking Water Testing

Report Date: 22-Mar-17

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	4
Laboratory Results	5
Receiving Check List	6
Chain of Custody	Appended

Client: Monticello Christian Academy

Work Order: 17030620

Client Project: Drinking Water Testing

Report Date: 22-Mar-17

Abbr Definition

- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilutions factors.
- DNI Did not ignite
- DUP Laboratory duplicate is an aliquot of a sample taken from the same container under laboratory conditions for independent processing and analysis independently of the original aliquot.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample, spiked with verified known amounts of analytes, is analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system. The acceptable recovery range is in the QC Package (provided upon request).
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL Method detection limit means the minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero.
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
- PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions. The acceptable recovery range is listed in the QC Package (provided upon request).
- RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
- RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
- SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
- Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
- TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count (> 200 CFU)

Qualifiers

- | | |
|--|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| E - Value above quantitation range | H - Holding times exceeded |
| I - Associated internal standard was outside method criteria | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Monticello Christian Academy

Work Order: 17030620

Client Project: Drinking Water Testing

Report Date: 22-Mar-17

Cooler Receipt Temp: 19.40 °C

Samples were collected in 250mL containers.

Date/time of last use: 3/3/17 at 7:45PM.

Locations and Accreditations

	Collinsville	Springfield	Kansas City	Collinsville Air
Address	5445 Horseshoe Lake Road Collinsville, IL 62234-7425	3920 Pintail Dr Springfield, IL 62711-9415	8421 Nieman Road Lenexa, KS 66214	5445 Horseshoe Lake Road Collinsville, IL 62234-7425
Phone	(618) 344-1004	(217) 698-1004	(913) 541-1998	(618) 344-1004
Fax	(618) 344-1005	(217) 698-1005	(913) 541-1998	(618) 344-1005
Email	jhriley@teklabinc.com	KKlostermann@teklabinc.com	KNelson@teklabinc.com	EHurley@teklabinc.com

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2018	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2017	Collinsville
Louisiana	LDEQ	166493	NELAP	6/30/2017	Collinsville
Louisiana	LDEQ	166578	NELAP	6/30/2017	Collinsville
Texas	TCEQ	T104704515-12-1	NELAP	7/31/2017	Collinsville
Arkansas	ADEQ	88-0966		3/14/2018	Collinsville
Illinois	IDPH	17584		5/31/2017	Collinsville
Indiana	ISDH	C-IL-06		1/31/2018	Collinsville
Kentucky	KDEP	98006		12/31/2017	Collinsville
Kentucky	UST	0073		1/31/2018	Collinsville
Missouri	MDNR	00930		5/31/2017	Collinsville
Missouri	MDNR	930		1/31/2018	Collinsville
Oklahoma	ODEQ	9978		8/31/2017	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Monticello Christian Academy

Work Order: 17030620

Client Project: Drinking Water Testing

Report Date: 22-Mar-17

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
17030620-001A	#01 UNP	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:20	03/04/2017 8:32
17030620-002A	#01 P	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:26	03/04/2017 8:38
17030620-003A	#02 UNP	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:31	03/04/2017 8:33
17030620-004A	#02 P	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:37	03/04/2017 8:40
17030620-005A	#03 UNP	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:43	03/04/2017 8:35
17030620-006A	#03 P	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:48	03/04/2017 8:42
17030620-007A	#04 UNP	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 16:54	03/04/2017 8:36
17030620-008A	#04 P	NELAP		1.0	< 1.0	µg/L	1	03/21/2017 17:22	03/04/2017 8:44



Receiving Check List

<http://www.teklabinc.com/>

Client: Monticello Christian Academy

Work Order: 17030620

Client Project: Drinking Water Testing

Report Date: 22-Mar-17

Carrier: UPS

Received By: TAC

Completed by:

Amber Dilallo

Reviewed by:

Marvin L. Darling II

On:

09-Mar-17

On:

09-Mar-17

Amber M. Dilallo

Marvin L. Darling

Pages to follow: Chain of custody

Extra pages included

- Shipping container/cooler in good condition? Yes No Not Present Temp °C **19.40**
- Type of thermal preservation? None Ice Blue Ice Dry Ice
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Reported field parameters measured: Field Lab NA
- Container/Temp Blank temperature in compliance? Yes No

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

- Water – at least one vial per sample has zero headspace? Yes No No VOA vials
- Water - TOX containers have zero headspace? Yes No No TOX containers
- Water - pH acceptable upon receipt? Yes No NA
- NPDES/CWA TCN interferences checked/treated in the field? Yes No NA

Any No responses must be detailed below or on the COC.

Samples were preserved with nitric acid after the turbidity checks were completed.

225 E Livingston St
Monticello, IL 61856



217-762-3544
office@mccacad.org

Lead Testing in Drinking Water Sources
Monticello Christian Academy
Saturday, March 4th, 2017

1. Sample ID #01 UNP: Kitchen sink unpurged
2. Sample ID #01 P: Kitchen sink purged
3. Sample ID #02 UNP: Low water fountain cafeteria unpurged
4. Sample ID #02 P: Low water fountain cafeteria purged
5. Sample ID #03 UNP: High water fountain cafeteria unpurged
6. Sample ID #03 P: High water fountain cafeteria purged
7. Sample ID #04 UNP: Hall water fountain unpurged
8. Sample ID #04 P: Hall water fountain purged

Honoring the unique reflection of God's image
within each child

"That your hearts may be encouraged, being knit together in love, to reach all of the riches of full assurance of understanding, and the knowledge of God's mystery, which is Christ, in whom are hidden all the treasures of wisdom and knowledge." Colossians 2:2-3